
















**KAV**  
**ARCHITECTURAL LIGHTING**

catalogue | December 2015

	Product in conformity with the requirements of relevant European Safety standards
	Guaranteed product and certified by the Italian Quality Trademark Institute
	European Norms Electrical Certification - Products manufactured and certified according to European Norms
	Fitting whose protection against electric shock is based on a safety extra low voltage supply SELV, in which voltages higher than those of SELV are not generated
	Suitable for installation on normally flammable surfaces
	The fixture stands the glow-wire test at 850°
	Number of years warranty
	Fixture certified following the directive 2010/20/UE, regarding consumption of energy

	Angle of light beam emitted from the fixture
	Unified Glare Rating
	Diameter of cutout in millimeters
	Weight in Kilograms
	Available colour variations for the fixture


	Housing protection degree against mechanical shocks measurable in Joule
IK01	0.15 J
IK02	0.20 J
IK03	0.35 J
IK04	0.50 J
IK05	0.70 J
IK06	1.00 J
IK07	2.00 J
IK08	5.00 J
IK09	10.0 J
IK10	20.0 J

## PLUTO



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-PL-7W-27K-xxxx	LED	600	7	2700	40
KAL-PL-7W-3K-xxxx	LED	600	7	3000	40
KAL-PL-13W-27K-xxxx	LED	1325	13	2700	40
KAL-PL-13W-3K-xxxx	LED	1325	13	3000	40

CE |  IP20 |  W5




\* Please replace xxxx in reference code with the required surround code and the colour code i.e. white square non directional >> 1090

**PLUTO PETITE**


Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-PP-3W-27K-xxxx	LED	310	3.2	2700	24
KAL-PP-3W-3K-xxxx	LED	310	3.2	3000	24


CE | | IP20 | W5 |



\* Please replace xxxx in reference code with the required surround code and the colour code i.e. white square non directional >> 1090


## SATURN 4

Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-S4-5W-36ND-MD	LED	430	4.6	3000	60





## SATURN 5

Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-S5-5W-60ND-MD	LED	430	4.6	3000	120



**SATURN  
+ SATURN SH**




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-SSH-7W-70R-MD	LED	550	6.5	3000	24
KAL-S-10W-70R-MD	LED	1000	9.5	3000	24
KAL-SSH-7W-70IP-MD	LED	550	6.5	3000	24
KAL-S-10W-70IP-MD	LED	1000	9.5	3000	24



**SATURN SQ**



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-SBSQ-7W-70SQ-MD	LED	550	6.5	3000	24
KAL-SSQ-10W-70SQ-MD	LED	1000	9.5	3000	24



## SATURN DIR



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-SD-7W-86DF-MD	LED	550	6.5	3000	24
KAL-SD-10W-86DF-MD	LED	1000	9.5	3000	24



## SATURN TRIM



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-ST-7W-92TL-MD	LED	550	6.5	3000	24
KAL-ST-10W-92TL-MD	LED	1000	9.5	3000	24



JUPITER SINGLE DIR




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-JS-7W-110D-MD	LED	600	7	2700	VARIOUS
KAL-JS-7W-110D-MD	LED	600	7	3000	VARIOUS
KAL-JS-13W-110D-MD	LED	1100	13	2700	VARIOUS
KAL-JS-13W-110D-MD	LED	1100	13	3000	VARIOUS



JUPITER SINGLE TRIMLESS DIR



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-JST-7W-108D-MD	LED	600	7	2700	VARIOUS
KAL-JST-7W-108D-MD	LED	600	7	3000	VARIOUS
KAL-JST-13W-108D-MD	LED	1100	13	2700	VARIOUS
KAL-JST-13W-108D-MD	LED	1100	13	3000	VARIOUS







## JUPITER DOUBLE DIR



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-JD-7W-27K-208D-MD	LED	600	7	2700	VARIOUS
KAL-JD-7W-3K-208D-MD	LED	600	7	3000	VARIOUS
KAL-JD-13W-27K-208D-MD	LED	1100	13	2700	VARIOUS
KAL-JD-13W-3K-208D-MD	LED	1100	13	3000	VARIOUS



CE | IP23 | W5



## JUPITER DOUBLE TRIMLESS DIR




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-JDT-7W-27K-208D-MD	LED	600	7	2700	VARIOUS
KAL-JDT-7W-3K-208D-MD	LED	600	7	3000	VARIOUS
KAL-JDT-13W-27K-208D-MD	LED	1100	13	2700	VARIOUS
KAL-JDT-13W-3K-208D-MD	LED	1100	13	3000	VARIOUS



CE | IP23 | W5



METEORITE RECESSED




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MR-10W-136D-MD	LED	1044	10	3000	VARIOUS

20  
Stainless  
Steel

CE | IP20 | 850 | W5 | A++ A++



METEORITE TRIMLESS



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MT-10W-136TD-MD	LED	873	10	3000	VARIOUS

20  
Stainless  
Steel

CE | IP20 | 850 | W5 | A++ A++



## METEORITE SURFACE



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MS-10w-55D-MD	LED	803	10	2700	VARIOUS

20  
Stainless  
Steel

CE |  IP20 |  W5 | 



STAR




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-SR-1W-110RC-ND	LED	107	1	3000	



CE | W5



SOLAR DOWN  
+ SOLAR UP DOWN





Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-SD-1W-ND	LED	107	1	3000	
KAL-SUD-2W-ND	LED	2X107	2X1	3000	



CE | IP20 | W5



FLARE UP - DOWN




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-FL-4W-MD	LED	400	4	3000	
KAL-FL-8W-MD	LED	2 x 400	2 x 4	3000	



CE | IP20 | W5



LUNAR IP65 ND




Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-LU-10W-IP65-MD	LED	603	10	3000	



CE | IP65 | W5

NEPTUNE TRITON



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-NT-1W-ND	LED	107	1	4000	

CE | IP67 | IK10 | 350° | W5 |



NEPTUNE PROTEUS



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-NP-3W-ND	LED	184	1 / 3	4000	

CE | IP68 | IK10 | W5 |




## NEPTUNE NEREID



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-NN-CD-L1-5W	LED	400	4.3	3000	20°
KAL-NN-CD-L2-5W	LED	400	4.3	3000	20°
KAL-NN-OD-L1-5W	LED	400	4.3	3000	110°
KAL-NN-OD-L2-5W	LED	400	4.3	3000	110°



## NEPTUNE GALATEA



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-NG-4W-SMIP-ND	LED	240	3.6	3000	36°



MOON ROUND



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MR-1W-100PO-MD	LED	87	1	2900	



CE | W5 | IP20



MOON SQUARE



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MS-1W-165PO-MD	LED	87	1	2900	



CE | W5 | IP20





## MOON METAL



Reference	Lamp	lumen	Watt	Colour T (K)	Beam
KAL-MM-2W-77SQ-MD	LED	170	2.2	3000	



CE | W5 | IP20



# KAV ARCHITECTURAL LIGHTING

CONTACT |

EMAIL | LIGHTING@KAV.LONDON

PHONE | 020 7736 1483

ADDRESS | 2 MICHAEL ROAD  
THE DEPOT AT THE OLD GASWORKS  
FULHAM  
LONDON  
SW6 2AD